

# ALTOZ<sup>®</sup>

ALWAYS AHEAD<sup>®</sup>



**OUTDOOR POWER EQUIPMENT** ▶

# THE POWER OF ALTOZ *INNOVATION* ▶





# GET ON AN ALTOZ.

Altoz innovation waits for no one and that's why we're always ahead. Our machines keep revolutionizing the industry, making your day safer, more productive and more comfortable. When you use Altoz equipment, you'll do more and go further.

Altoz continues its ongoing pursuit of perfection as we evolve and innovate to meet the needs of a changing marketplace.

Our new high-visibility color scheme adds an extra level of safety and awareness when working near busy public areas and road right-of-ways where being seen is critical. With the introduction of the all new TFX 766 i, XC SSi and XP 610 SSi we're not just adding a new color scheme, we're providing new levels of safety.

**We invite you to get on an Altoz  
and find out just how far it can take you.**



◀ **TRACKED SERIES**  
QUICK SCAN




**HIGH TRACTION & LOW GROUND PRESSURE**

# TRACKED SERIES

Commercial contractors, municipalities and multi-acre homeowners know that sometimes, getting to the grass is half the challenge. Altoz tracked zero-turn mowers safely give you access to the places other mowers will never get to. Slopes, wet areas and challenging terrain are all in a day's work. Our tracked mowers revolutionized the industry, and they're the perfect solution for municipalities, commercial lawn care professionals and multi-acre homeowners.

## TRACK BENEFITS

The tough TerraFlex® tracks bridge over uneven terrain and provide a smooth and comfortable ride.



### WET AREAS

More control for mowing around water features, ditches and low areas.



### SLOPES

Mow slopes safely with high traction and minimal compaction.



### TALL GRASS & UNRULY TERRAIN

Reclaim property and tame even the harshest terrain.

# TFX 766 i ▶



The **TFX 766 i** is designed to cut in the most demanding conditions. Its compact body style enables the TFX to navigate obstacles and cut closer. Its hi-vis color and rugged design make it the perfect choice when performance and safety matter most.

**TFX** ▶  
QUICK SCAN



## TFX 766 i AT A GLANCE...

- ▶ **KAWASAKI® FX 1000V EFI  
38.5 HP**
- ▶ **66" HV ALL-TERRAIN REAR  
DISCHARGE DECK**
- ▶ **ALL-TERRAIN TERRAFLEX® TRACKS**
- ▶ **HYDRO-GEAR ZT-5400  
HIGH/LOW TRANSMISSION**
- ▶ **TRI-AXIS™ FRONT SUSPENSION  
FEATURES ENERGY-ABSORBING  
ADJUSTABLE COIL SPRING OVER  
OIL SHOCK**
- ▶ **TORSION AXLE REAR SUSPENSION**
- ▶ **HIGH VISIBILITY SAFETY COLOR**
- ▶ **FLAT-FREE TIRES**
- ▶ **COUNTER ROTATING RIGHT-HAND  
DECK SPINDLE**
- ▶ **12-WAY ADJUSTABLE  
HIGH-BACK SUSPENSION SEAT  
WITH ARM RESTS**
- ▶ **14-GALLON FUEL CAPACITY**

### 66" HV ALL-TERRAIN DECK

The HV All-Terrain Deck is constructed of 7-gauge laminated steel with six swing blades and a sloped back rear discharge that can process a high volume of material and allows for a closer cut underneath and around immovable objects.



### COUNTER ROTATION RIGHT DECK SPINDLE


for efficient processing and improved cut quality.



*\*Shown with  
Deck Extension  
and Track Fenders  
(available as an  
accessory)*

### TERRAFLEX™ TRACK

Featuring steel cables encased in vulcanized rubber and heavy-duty steel drive links for unmatched durability, flexibility, and a smooth ride.



# TRX 766i ▶



◀ **TRX**  
QUICK SCAN

The **TRX 766 i Series** is the ultimate workhorse for the toughest, most challenging terrain and environments.

### **TERRAFLEX™ TRACKS**

TerraFlex tracks are made for customers who cut in demanding conditions. The tread pattern and steel-cased, vulcanized rubber tracks are designed for durability and flexibility. These tracks, combined with the torsion axle rear suspension, are engineered for traction, stability and a smooth ride in challenging conditions.

## **TRX 766 i SERIES AT A GLANCE...**

- ▶ **KAWASAKI® 1000V FX EFI 38.5 HP**
- ▶ **66" HV All-TERRAIN REAR DISCHARGE DECK AND ALL-TERRAIN TERRAFLEX™ TRACKS**
- ▶ **66" FINISH CUT AERO DECK AND TURF TRACKS**
- ▶ **HYDRO-GEAR ZT-5400 HIGH/LOW TRANSMISSION**
- ▶ **FLAT-FREE TIRES**
- ▶ **TORQFLEX FRONT SUSPENSION**
- ▶ **TORSION AXLE REAR SUSPENSION**
- ▶ **12-WAY ADJUSTABLE HIGH-BACK SUSPENSION SEAT WITH ARM RESTS**
- ▶ **14-GALLON FUEL CAPACITY**



### **EXCLUSIVE DECK OPTIONS**

Equipped with Altoz's exclusive 66" HV All-Terrain Rear Discharge Deck for rough cutting or 66" Finish Cut Aero cutting system with adjustable baffles for a professional finish cut.



# TRX 561i

The **TRX 561i** is an ideal land management solution for multi-acre homeowners, ranchers, golf courses, schools and lawn care professionals.

Adjustable  
12-way seat



## DECK OPTIONS

Equipped with Altoz's exclusive 61" Finish Cut Aero Deck with adjustable baffles or HV All-Terrain Rear Discharge Deck for rough cutting.



## TRX 561i SERIES AT A GLANCE...

- ▶ **KAWASAKI® FX 850V EFI 29.5 HP**
- ▶ **61" HV ALL-TERRAIN REAR DISCHARGE DECK AND ALL-TERRAIN TERRAFLEX™ TRACKS**
- ▶ **61" FINISH CUT AERO DECK AND TURF TRACKS**
- ▶ **HYDRO-GEAR ZT-4400**
- ▶ **FLAT-FREE TIRES**
- ▶ **TORQFLEX FRONT SUSPENSION**
- ▶ **TORSION AXLE REAR SUSPENSION**
- ▶ **12-WAY ADJUSTABLE HIGH-BACK SUSPENSION SEAT WITH ARM RESTS**
- ▶ **14-GALLON FUEL CAPACITY**



◀ **TRX**  
QUICK SCAN



## TRACK OPTIONS

TerraFlex All-Terrain Tracks are ideal for side-hilling, soft terrain and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain.

# TRX 354 ▶

With its standard Turf Tracks, the **TRX 354** is ideal for multi-acre homeowners, outdoorsmen and farmers.



## TRX 354 AT A GLANCE...

- ▶ **KAWASAKI® FT 730V  
24 HP**
- ▶ **54" FINISH CUT AERO DECK**
- ▶ **TURF TRACKS**
- ▶ **HYDRO-GEAR ZT-3400**
- ▶ **FLAT-FREE TIRES**
- ▶ **TORSION AXLE  
REAR SUSPENSION**
- ▶ **12-WAY ADJUSTABLE  
HIGH-BACK SUSPENSION  
SEAT WITH ARM RESTS**
- ▶ **10-GALLON FUEL CAPACITY**

### **TURF TRACKS TREAD LIGHTLY**

The patented TRX rear torsion axle track system delivers maximum traction for stability and low ground pressure for minimal compaction.

**TRX ▶**  
QUICK SCAN



# TSX 561i ▶

The **TSX 561i** takes on difficult terrain jobs others can't mow safely by combining the fast maneuverability of a stand-on mower with the unmatched steep terrain mowing capabilities of the Altoz track system.



## **EXCLUSIVE DECK OPTIONS**

Equipped with Altoz's exclusive 61" HV All-Terrain Rear Discharge Deck for rough cutting or 61" Finish Cut Aero Deck cutting system with adjustable baffles for a professional finish cut.

## **SMOOTH RIDE**

The TSX's TorqFlex™ front suspension and rear torsional axle suspension work together to bridge uneven terrain, delivering stability, and a smooth ride.

# TSX 561 i SERIES AT A GLANCE...

TSX ▶  
QUICK SCAN



- ▶ **KAWASAKI® FX 850V EFI  
29.5 HP**
- ▶ **61" HV ALL-TERRAIN REAR  
DISCHARGE DECK  
AND ALL-TERRAIN  
TERRAFLEX™ TRACKS**
- ▶ **61" FINISH CUT AERO DECK  
AND TURF TRACKS**
- ▶ **HYDRO-GEAR PR 16CC  
PUMPS/PARKER  
TF WHEEL MOTORS  
TRANSMISSION**
- ▶ **TORQFLEX FRONT  
SUSPENSION**
- ▶ **TORSION AXLE  
REAR SUSPENSION**
- ▶ **ADJUSTABLE COIL  
SPRING OVER GAS-SHOCK  
RIDER PLATFORM**
- ▶ **FLAT-FREE TIRES**
- ▶ **8.5-GALLON FUEL CAPACITY**



# THE SWITCH



← SNOW BLOWER



POWER ANGLE BROOM ▼



DROP SPREADER ▼



44" & 61"  
HV ALL-TERRAIN DECK ▼

# DROP, SWAP & GO

The Altoz Switch delivers the stability and mobility of tracks and pairs it with the versatility and functionality of a broad range of interchangeable attachments. The Switch handles multiple tasks and terrain in any season.



◀ **SWITCH**  
QUICK SCAN

## THE SWITCH AT A GLANCE...

- ▶ **KAWASAKI® FX 820V EVO EFI**  
34.5 HP
- ▶ **9" WIDE**  
TERRAFLEX™ TRACKS
- ▶ **HYDRO-GEAR PUMPS/  
PARKER MOTORS  
TRANSMISSION**
- ▶ **TORSION AXLE SUSPENSION**
- ▶ **ADJUSTABLE COIL SPRING  
OVER GAS-SHOCK  
RIDER PLATFORM**
- ▶ **7-GALLON FUEL CAPACITY**



**FULL ACCESSORIES LINE UP ▶**



**44" PUSH/PULL BOX  
SCRAPER ▼**



**36" PALLET FORKS ▼**



**STRAIGHT & V BLADE ▼**



**SPRAY TANK &  
BOOM SPRAYS ▼**





◀ **WHEELED SERIES**  
QUICK SCAN

# **WHEELED** **SERIES**

**ALL-DAY COMFORT  
MEETS NEXT LEVEL CUT QUALITY**

The Altoz legacy was built on a foundation of innovation. From day one, our wheeled zero-turn mowers set a new, higher standard for cut quality, comfort and aesthetics. If you're looking for a zero-turn mower that performs as well as it looks...step up to an Altoz.

# XC SERIES ▶

*Available in 61" and 72" deck sizes.*



The powerful, high-performing **XC Series** delivers a precision cut you can be proud of... and enjoy. It's what happens when you pair a 38.5 hp Kawasaki FX engine with the industry's most innovative and ergonomic design, engineered for superior operator comfort and ride quality.

**XC** ▶  
**QUICK SCAN**



## **XC SSI SERIES AT A GLANCE...**

- ▶ **KAWASAKI® FX 1000V EFI  
38.5 HP**
- ▶ **61" FINISH CUT AERO DECK**
- ▶ **72" FINISH CUT AERO DECK**
- ▶ **HYDRO-GEAR ZT-5400  
HIGH/LOW TRANSMISSION**
- ▶ **HIGH VISIBILITY SAFETY COLOR**
- ▶ **POWER DECK LIFT**
- ▶ **FRONT FLAT-FREE TIRES**
- ▶ **TRI-AXIS™ FRONT SUSPENSION  
FEATURES ENERGY-ABSORBING  
ADJUSTABLE COIL SPRING OVER  
OIL SHOCK**
- ▶ **12-WAY ADJUSTABLE  
HIGH-BACK SUSPENSION  
SEAT WITH ARM RESTS**
- ▶ **14-GALLON FUEL CAPACITY**



### **SMARTRAC™**

Monitoring System features a tachometer and resettable hour meter, maintenance reminders with alerts for low oil pressure and overheating.



### **FINISH CUT AERO DECK™**

Our exclusive Aero Deck is .316" fabricated steel and features recessed anti-scalp wheels and fully adjustable baffles for a professional-grade cut every time.

**XC 720 SSI**

# XP SERIES ▶

## XP SSi AT A GLANCE...

- ▶ **KAWASAKI® FX 820V EVO EFI  
34.5 HP**
- ▶ **61" FINISH CUT AERO DECK**
- ▶ **HYDRO-GEAR ZT-4400  
TRANSMISSION**
- ▶ **HIGH VISIBILITY  
SAFETY COLOR**
- ▶ **FLAT-FREE FRONT TIRES**
- ▶ **TRI-AXIS™ FRONT  
SUSPENSION FEATURES  
ENERGY-ABSORBING  
ADJUSTABLE COIL SPRING  
OVER OIL SHOCK**
- ▶ **12-WAY ADJUSTABLE  
HIGH-BACK SUSPENSION  
SEAT WITH ARM RESTS**
- ▶ **14-GALLON FUEL CAPACITY**

## XP RDi AT A GLANCE...

- ▶ **KAWASAKI® FX 850V EFI  
29.5 HP**
- ▶ **61" FINISH CUT REAR  
DISCHARGE AERO DECK**
- ▶ **HYDRO-GEAR ZT-4400  
TRANSMISSION**
- ▶ **FLAT-FREE FRONT TIRES**
- ▶ **TORQFLEX  
FRONT SUSPENSION**
- ▶ **12-WAY ADJUSTABLE  
HIGH-BACK SUSPENSION  
SEAT WITH ARM RESTS**
- ▶ **14-GALLON FUEL CAPACITY**

## XP HD SERIES AT A GLANCE...

- ▶ **KAWASAKI FX 850V  
27 HP  
54" FINISH CUT AERO DECK**
- ▶ **KAWASAKI FX 850V EFI  
29.5 HP  
61" FINISH CUT AERO DECK**
- ▶ **KAWASAKI FX 1000V  
35 HP  
66", 72" FINISH CUT  
AERO DECK**
- ▶ **HYDRO-GEAR ZT-4400  
TRANSMISSION**
- ▶ **12-WAY ADJUSTABLE  
HIGH-BACK SUSPENSION  
SEAT WITH ARM RESTS**
- ▶ **14-GALLON FUEL CAPACITY**



**XP 610 SSi**



**XP 610 RDi**



**XP HD SERIES**

The **XP Series** is engineered for durability and a precise cut, designed for people who rely on their equipment to deliver nothing less than perfection.

**XP** ▶  
QUICK SCAN



# XE SERIES



The **XE Series** is rugged, reliable and built to endure.



## XE SERIES AT A GLANCE...

- ▶ **KAWASAKI® FS 730V  
24 HP**
- ▶ **54" OR 61" FINISH CUT AERO DECK WITH  
ADJUSTABLE DECK BAFFLES**
- ▶ **HYDRO-GEAR ZT-3200 TRANSMISSION**
- ▶ **HIGH-BACK SUSPENSION SEAT WITH ARM RESTS**
- ▶ **INDEPENDENT FRONT SUSPENSION (610 SS MODEL)**
- ▶ **10-GALLON FUEL CAPACITY**

### **PRECISE HANDLING**

Commercial-grade Hydro-Gear® 3200 transmissions ensure smooth, reliable and responsive operation.

### **DUAL FUEL TANKS**

10-gallon capacity for extended cutting times.



◀ **XE**  
QUICK SCAN



**INDEPENDENT  
FRONT  
SUSPENSION  
ON SS MODELS**

### **LOW IMPACT**

Tires designed to lessen terrain impact and provide a smoother ride.

# XR SERIES ▶

*The XR Series is the perfect mower for discerning homeowners who take as much pride in their equipment as they do in their lawn.*

## **PRECISE HANDLING**

Cut with speed and precision around trees, flowerbeds and other obstacles with the XR's responsive, commercial-grade Hydro-Gear® 3100 transmissions.

## **XR SERIES AT A GLANCE...**

- ▶ **KAWASAKI® FR 691V  
23 HP**
- ▶ **48" OR 54" FINISH CUT AERO DECK  
WITH ADJUSTABLE DECK BAFFLES**
- ▶ **HYDRO-GEAR ZT-3100 TRANSMISSION**
- ▶ **MID-BACK ADJUSTABLE SEAT**
- ▶ **INDEPENDENT FRONT SUSPENSION (540 SS MODEL)**
- ▶ **5-GALLON FUEL CAPACITY**



**INDEPENDENT  
FRONT SUSPENSION  
ON SS MODELS**

## **BUILT TO COMMERCIAL STANDARDS**

With its laser-cut steel chassis, fabricated cutting deck and heat-dissipating deck spindles, the XR is built to perform.

## **ADJUSTABLE DECK BAFFLES**

**XR ▶**  
**QUICK SCAN**



# ACCESSORIES



Add functionality and increase productivity with **Altoz accessories.**

**ACCESSORIES** ▶  
QUICK SCAN



### **TRX DECK WING EXTENSION**

Perfect for fence lines, shore lines, ditch banks, water retention ponds, solar fields and anywhere you need to get under or over.



### **TRX 766 i HV ALL-TERRAIN COUNTER ROTATION RIGHT DECK SPINDLE**

Accessory provides efficient material processing and more even grass dispersement.



### **OPERATOR ASSIST HANDLE KITS**

Designed with your comfort and safety in mind, this accessory offers a stable and reliable grab bar for easy mounting and dismounting.



### **COLLECTION SYSTEM WITH DUMP BOX**

Large-capacity collection system is an effective and efficient way to collect grass clippings and leaves.

### **VERTICAL SERRATED BLOWER FAN**

Mulches debris for uninterrupted flow operation.



### **LAWN STRIPING KIT**

Stripe or create more complex patterns. Includes flexible rubber striper and all mounting hardware.



### **HITCH & RECEIVER HITCH KITS**

Our standard hitch features a 5/8" opening for drop pin (available for all models). Our super-strong receiver hitch features standard 1-1/4" x 1-1/4" or 2" x 2" trailer hitch receiver.



### **OPERATOR-CONTROLLED CHUTE COVER**

Allows you to prevent side dispersement and provides mulch on demand.

# 2026 MODEL SPECS

## ZERO TURN MOWERS

	XR SERIES			XE SERIES			XP SERIES				
--	-----------	--	--	-----------	--	--	-----------	--	--	--	--



**XR SERIES**



**XE SERIES**



**XP HD SERIES**



**XP SSi**



**XC SERIES**



**TRX SERIES**



**TFX SERIES**



**TSX SERIES**



**SWITCH**

	XR SERIES			XE SERIES			XP SERIES				
<b>Model</b>	<b>XR 480</b>	<b>XR 540</b>	<b>XR 540 SS</b>	<b>XE 540</b>	<b>XE 610</b>	<b>XE 610 SS</b>	<b>XP 540 HD</b>	<b>XP 610 HDi</b>	<b>XP 610 RDi</b>	<b>XP 610 SSi</b>	<b>XP 660 HD</b>
<b>Model P/N</b>	1055229	1055230	1055231	1055232	1055233	1055234	1055235	1055236	1055237	1055251	1055238
<b>Engine</b>	Kawasaki FR	Kawasaki FR	Kawasaki FR	Kawasaki FS	Kawasaki FS	Kawasaki FS	Kawasaki FX	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EVO EFI	Kawasaki FX
<b>HP</b>	23	23	23	24	24	24	27	29.5	29.5	34.5	35
<b>Displacement</b>	726 cc	726 cc	726 cc	726 cc	726 cc	726 cc	852 cc	852 cc	852 cc	822 cc	999 cc
<b>Deck Width</b>	48"	54"	54"	54"	61"	61"	54"	61"	61"	61"	66"
<b>Weight</b>	800 lbs	820 lbs	830 lbs	930 lbs	960 lbs	970 lbs	1330 lbs	1355 lbs	1410 lbs	1415 lbs	1400 lbs
<b>Transmission</b>	Hydro-Gear ZT-3100	Hydro-Gear ZT-3100	Hydro-Gear ZT-3100	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400
<b>Fuel Capacity</b>	5 gallons	5 gallons	5 gallons	10 gallons	10 gallons	10 gallons	14 gallons	14 gallons	14 gallons	14 gallons	14 gallons
<b>Rear Tire/Track Size</b>	20"	20"	20"	22"	22"	22"	24"	24"	24"	24"	24"
<b>Front Tire</b>	—	—	—	—	—	—	—	—	Flat Free	Flat Free	—
<b>Speed</b>	8 mph	8 mph	8 mph	9 mph	9 mph	9 mph	11 mph	11 mph	11 mph	11 mph	11 mph
<b>Instruments</b>	Hour Meter	Hour Meter	Hour Meter	Hour Meter	Hour Meter	Hour Meter	SmarTrac Pro	SmarTrac Pro	SmarTrac Pro	Hour Meter/Tachometer	SmarTrac Pro
<b>Suspension</b>	Independent Front Suspension (Accessory)	Independent Front Suspension (Accessory)	Independent Front Suspension (Standard)	Independent Front Suspension (Accessory)	Independent Front Suspension (Accessory)	Independent Front Suspension (Standard)	--	--	TorqFlex Suspension (Standard)	Tri-Axis™ (Standard)	--
<b>Seat</b>	Mid-back adjustable seat			High-back suspension seat with arm rests			12-way adjustable high-back suspension seat with arm rests				
<b>Deck Lift</b>	Manual			Manual			Manual				
<b>Warranty*</b>	3-Year Unlimited Hours Engine* 2-Year Unlimited Hours Transmission 3-Year/400 Hours 1-Year No Hour Limitation			3-Year Unlimited Hours Engine* 2-Year Unlimited Hours Transmission 3-Year/600 Hours 1-Year No Hour Limitation			3-Year Unlimited Hours Engine* 2-Year Unlimited Hours Transmission 3-Year/1500 Hours First 2 Years No Hour Limitation				
<b>Other</b>	—	—	—	—	—	—	—	—	Rear Discharge	—	—

All specifications and features are subject to change, see dealer for details. Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information.

\*See dealer for warranty details. For additional information, go to [Altoz.com](http://Altoz.com)

			TRACKED ZERO TURN MOWERS						TRACKED STAND-ON MOWERS		COMPACT TOOL CARRIER	
XC SERIES			TRX/TFX SERIES						TSX SERIES		SWITCH	
XP 720 HD	XC 610 SSI	XC 720 SSI	TRX 354 Finish Cut	TRX 561 i Finish Cut	TRX 561 i All-Terrain	TRX 766 i Finish Cut	TRX 766 i All-Terrain	TFX 766 i All-Terrain	TSX 561 i Finish Cut	TSX 561 i All-Terrain	SWITCH	
1055239	1055240	1055241	1055242	1055243	1055244	1055247	1055248	1055249	1055245	1055246	1055250	
Kawasaki FX	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FT	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EVO EFI	
35	38.5	38.5	24	29.5	29.5	38.5	38.5	38.5	29.5	29.5	34.5	
999 cc	999 cc	999 cc	726 cc	852 cc	852 cc	999 cc	999 cc	999 cc	852 cc	852 cc	822 cc	
72"	61"	72"	54"	61"	61"	66"	66"	66"	61"	61"	n/a	
1415 lbs	1505 lbs	1545 lbs	1220 lbs	1540 lbs	1600 lbs	1780 lbs	1800 lbs	1840 lbs	1532 lbs	1545 lbs	1474 lbs	
Hydro-Gear ZT-4400	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-3400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Hydro-Gear PR 16cc Pumps/ Parker TF 195cc Wheel Motors	Hydro-Gear PR 16cc Pumps/ Parker TF 195cc Wheel Motors	Hydro-Gear Pumps/ Parker Motors	
14 gallons	14 gallons	14 gallons	10 gallons	14 gallons	14 gallons	14 gallons	14 gallons	14 gallons	8.5 gallons	8.5 gallons	7 gallons	
24"	26"	26"	11" x 68" Turf Tracks	10" x 72" Turf TerraFlex	10" x 72" All-Terrain TerraFlex	10" x 81" Turf TerraFlex	10" x 81" All-Terrain TerraFlex	10" x 81" All-Terrain TerraFlex	10" x 72" Turf TerraFlex	10" x 72" All-Terrain TerraFlex	9" Wide TerraFlex	
—	—	—	Flat Free	Flat Free	Flat Free	Flat Free	Flat Free	Flat Free	Flat Free	Flat Free	n/a	
11 mph	19 mph	19 mph	8 mph	9 mph	9 mph	11 mph	11 mph	11 mph	up to 10 mph	up to 10 mph	up to 7 mph	
SmarTrac Pro	SmarTrac	SmarTrac	Hour Meter	SmarTrac Pro	SmarTrac Pro	Hour Meter/ Tachometer	Hour Meter/ Tachometer	Hour Meter/ Tachometer	SmarTrac Pro	SmarTrac Pro	Hour Meter/ Tachometer	
--	Tri-Axis™ (Standard)	Tri-Axis™ (Standard)	Independent Front Suspension (Accessory)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	Tri-Axis™ (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	Torsion Suspension (Standard)
	12-way adjustable high-back suspension seat with arm rests		12-way adjustable high-back suspension seat with arm rests							Operator Support Cushion		Operator Support Cushion
	Power		Manual							Manual		Power Attachment Lift
	3-Year Unlimited Hours Engine* 2-Year Unlimited Hours Transmission 3-Year/1500 Hours First 2 Years No Hour Limitation		3-Year Unlimited Hours Engine* 2-Year Unlimited Hours Transmission 1-Year Manufacturer							3-Year Unlimited Hours Engine* 2-Year Unlimited Hours Transmission 1-Year Manufacturer		3-Year Unlimited Hours Engine* 2-Year Unlimited Hours Transmission 1-Year Manufacturer
—	—	—	—	—	Rear Discharge	—	Rear Discharge	Rear Discharge & Counter-rotating RH Spindle	Adjustable Operator Platform		Adjustable Operator Platform/Lights	



# ALTOZ<sup>®</sup>

ALWAYS AHEAD<sup>®</sup>

Altoz, Inc.  
20502 160th Street  
Greenbush, MN 56726

**Altoz.com**

MADE IN THE  
**USA**

©2026 Altoz, Inc. All information contained within this publication is based on the latest product information available at the time of publication. Because Altoz, Inc. makes constant improvements in the design and quality of its products, some minor discrepancies may result between the actual machine and the information presented in this brochure. Altoz reserves the right to change specifications and design without notice. Depictions of operation are intended for reference only. Always wear the proper personal protective gear and operate within your capability. No liability can be accepted for omissions or inaccuracies. Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information. Altoz, the Altoz logo, TorqFlex, AeroDeck, TerraFlex, SmarTrac Pro and Switch are trademarks of Altoz, Inc. Other trademarks are the property of their respective owners. Printed in the USA.

p/n 9001227 • REV. A • JAN. 2026